STATEMENT OF ACCOMPANYING FORM - A

1.	Name	: THE CHAIRMAN, M/s Geethaanjali All India Senior Secondary School, Thindal,Erode-12.
	Survey number of the site	: R.S.F.NO:64/2A,106/30- BLOCK-II
2.	Location (Street Number, Ward Number) Name of Village	: Thindal, Corporation Ward No:33
	Panchayat Union/Panchayat/Township/ Cantonment	: Erode city Municipal Corporation Zone-III, Erode Taluk, Erode District
3.	Year of Construction	: 2008
4.	Approximate cost of construction	: Rs.2,30,000,00/-
5.	Purpose for which the building is being Used or purpose to be used	: RCC Terraced & School Building
6.	Purpose for Which the Building has Either To been used	: RCC Terraced & School Building
7.	Details for construction of the building (Particulars of the foundation soils, Specification of the various parts under)	
	(i). Foundation	: RCC Column Footing
	(ii). Basement	: R.R.M. in Cement Mortar & Plinth Beam
	(iii). Super Structure	: RCC Column Footing With Load Bearing Walls
	(iv). Floor and Roof	: RCC Flat Roof, Cement Mortar

ஈரோடு வருவாய் வட்டாட்சியர் அவர்களின் செயல்முறைகள்
முன்னிலை : : திரு.என்.பாலசுப்ரமணியம், எம்.ஏ.,

மூ.மு.எண1187/2022/அ4 நாள்: .03.2022

பொருள்: பொதுக்கட்டிட உரிம விதிகள் - ஈரோடு வட்டம், ஈரோடு டவுன், திண்டல் கிராமம், திண்டல் என்ற முகவரியில் இயங்கி வரும் கீதாஞ்சலி ஆல் இண்டியா சீனியர் செகண்டரிப்பள்ளி, தாளாளர் பொதுக் கட்டிட உரிம எண்கள்.02/2007னை புதுப்பித்து உரிமம் வழங்கி உத்திரவிடல் - தொடர்பாக

பார்வை: தாளாளர், கீதாஞ்சலி ஆல் இண்டியா சீனியர் செகண்டரிப்பள்ளி, திண்டல் கிராமம், ஈரோடு டவுன், ஈரோடு மனு நாள25.02.2022
2., நிலைய அலுவலர், தீயணைப்பு மீட்புப்பணி நிலையம், ஈரோடு அவர்களின் எண்.19/2022 நாள்: 25.02.2022

ஆணை :

ஈரோடு வட்டம், திண்டல் கிராமம், திண்டல் என்ற முகவரியில் இயங்கி வரும் கீதாஞ்சலி ஆல் இண்டியா சீனியர் செகண்டரிப்பள்ளி, தாளாளர் பொது கட்டிட உரிமம் புதுபிக்க கோரிய மனு பரிசீலணை செய்யப்பட்டு பொதுக்கட்டிட உரிமம் எண்.02/2007னை 04.01.2022 முதல் 03.01.2025 வரையிலான காலத்திற்கு செல்லத்தக்க வகையில் உரிமம் புதுப்பித்து வழங்கி இதன்மூலம் உத்திரவிடப்படுகிறது.

2. பொதுக்கட்டிட உரிமம் காலாவதியாவதற்கு 90 நாட்களுக்கு முன்னரே அங்கீகரிக்கப்பட்ட பொறியாளரிடம் கட்டிட உறுதிச்சான்று மற்றும் வரைப்படம் பெற்று இணைத்து உரிமம் புதுப்பிக்க ஈரோடு வருவாய் வட்டாட்சியர் அவர்களுக்கு விண்ணப்பம் செய்து கொள்ள வேண்டியது.

3. உரிமம் வழங்கப்பட்ட பின்னர் கட்டிடங்களில் ஏற்படும் மாற்றங்கள் குறித்து முன்னரே உரிய அனுமதி பெற வேண்டுமெனவும், தமிழ்நாடு பொதுக்கட்டிட உரிம விதிகளின்படி கட்டிடங்களை பராமரிக்க வேண்டுமெனவும் தெரிவிக்கப்படுகிறது.

4. உரிமம் மற்றும் வரைபடம் அசலாக இத்துடன் இணைத்து அனுப்பப்படுகிறது.

இணைப்பு : அசல் உரிமம் மற்றும் வரைபடம்.

வருவாய் வட்டாட்சியர்,
ஈரோடு.

பெறுநர் :

தாளாளர்,
கீதாஞ்சலி ஆல் இண்டியா சீனியர் செகண்டரிப்பள்ளி, 3/3/22
Block -1,
திண்டல் கிராமம்,
திண்டல்,
ஈரோடு.

8. Period for which licence is required : 3 Years

(04.01.2022 To 03.01.2025)

9. Carpet area of the building : 7029.92 Sq.mt

10. Number of persons To be accommodated : 2400 Nos

Date: 04.01.2022

For GEETHAANJALI ALL INDIA SENIOR SECONDARY SCHOOL, THINDAL, ERODE.

MANAGING TRUSTEE

Signature of the Owner of the Building

Signature of the Structural Engineer

Er.V.SOUNDARA RAJAN, M.E (Struc.), (Ph.D.), C.Engg.
Panel Engineer Class-1A Erode District.
R.Dis.18955/2020 C2 dt.18.05.2021
Mob. +91 99525 42244

STRUCTURAL SPECIFICATION

A. Framed structures with reinforcement cement concrete columns, beams & slabs.

(i) Maximum span of the beam 8.23 meters.

(ii) Maximum unsupported length of columns – nil.

(iii) Maximum size of the column 500mm x 230mm.

(iv) Maximum size of the beam 500mm x 230mm.

B. Design load on the structure.

(i) Live load at floor level – 3.0KN/Sq.m.

(ii) Live load at Roof level – 1.5 KN/Sq.m.

(iii) Live load for stair, corridor and balcony's – 4.0 KN/Sq.m.

C. Dead load assumed other then the self weight.

(i) For floor finishes – 1 KN/Sq.m.

(ii) For partitions – 1.5 KN/Sq.m.

(iii) For terrace finishes – 2 KN/Sq.m.

D. Other service loads as per actual.

(i) Over Head Tank.

FORM - B

(Form of certificate of structural soundness under sub – section (4) of section 4 of the Tamil Nadu public buildings (Licensing) Act, 1965 (Tamil Nadu Act 13 of 1965) referred to in rule 4 of the Tamil Nadu public buildings (Licensing) Rules, 1966).

I certify that I have inspected the building mentioned in the statement and furnished below its salient technical features.

1. **Foundation**

(i)	Depth below ground level	: 1.87 m
(ii)	Nature of soil met with foundation level	: Hard Gravel
(iii)	Pressures are foundation	: 29.06 T / Sq.m.
(iv)	Probable safe bearing capacity of the Strata met with at foundation	: 45T / Sq.m.

2. **Super structure**

(i)	Maximum stress in the most critical section	
	Masonry & concrete	: Brick in cm. 32.08 T/Sq.m Concrete - 250 Kgs / Sqm
(ii)	Nature of masonry any concrete and its Safe permissible stress	: Brick in cm.15 T/Sq.m Concrete - 250 Kgs / Sqm

The structural soundness of the building has been verified by me with the reference to ISI loading standards 875 (Latest version) and other relevant Indian standards code of practice and I declare that the building for the purpose noted in the statement. A license may be granted for the period of **3 Years** from **04.01.2022 To 03.01.2025**.

Date: 04.01.2022

Signature of the Structural Engineer

Dr.V.SOUNDARA RAJAN, M.E (Struct.), (Ph.D), C.Eng.
Panel Engineer Class - 1A Erode District.
R.Dis.18866/2020 C2 dt.18.05.2021
Mob. +91 99525 42244

FORM - C

(Form of certificate of structural soundness under sub – section (4) of section 4 of the Tamil Nadu public buildings (Licensing) Act, 1965 (Tamil Nadu Act XIII of 1965) referred to in rule 4 of the Tamil Nadu public buildings (Licensing) Rules, 1966).

I certify that I have inspected the building mentioned in the statement and furnished below its salient technical features.

3. Foundation

(v)	Depth below ground level	: 1.87 m
(vi)	Nature of soil met with foundation level	: Hard Gravel
(vii)	Pressures are foundation	: 29.06 T / Sq.m.
(viii)	Probable safe bearing capacity of the Strata met with at foundation	: 45T / Sq.m.

4. Super structure

(iii)	Maximum stress in the most critical section Masonry & concrete	: Brick in cm. 32.08 T/Sq.m
(iv)	Nature of masonry any concrete and its Safe permissible stress	: Brick in cm.15 T/Sq.m RR Masonry-45.0 T/Sqm

The structural soundness of the building has been verified by me with the reference to ISI loading standards 875 (Latest version) and other relevant Indian standards code of practice and I declare that the building for the purpose noted in the statement. A license may be granted for the period of **3 Years** from **04.01.2022 To 03.01.2025**.

Date: 04.01.2022

Signature of the Structural Engineer

Er.V.SOUNDARA RAJAN, M.E (Struc.), (Ph.D.), C.Eng.
Panel Engineer Class-1A Erode District.
R.Dis.18955/2020 C2 dt.18.05.2021
Mob. +91 99525 42244

STATEMENT TO ACCOMPANY THE CERTIFICATE OF STRUCTURAL SOUNDNESS

1.	Location of the building	: R.S.F.NO:64/2A,106/30- BLOCK-II
2.	Name of the place	: Thindal, Corporation Ward.No:33 Erode City Municipal Corporation Zone – III, Erode Taluk & District.
3.	Age of the Building	: 14 Years
4.	Numbers of storey	: G+3 (BLOCK-II)
5.	Type of short description of structures – street R.C.C. Framed or load bearing masonry	: RCC Framed Structure and Load Bearing Walls
6.	Purpose for which the building is certify for use	: RCC Terraced & School Building
7.	The period for which the building will be Structurally sound	: 04.01.2022 to 03.01.2025
8.	Number of persons to be accommodated	: 2400 Nos.
9.	Remarks	: Good

Dated :04.01.2022

Signature of the Structural Engineer

Er.V.SOUNDARA RAJAN, M.E (Struc.), (Ph.D), C.Eng.
Panel Engineer Class-1A Erode District.
R.Dis.18955/2020 C2 dt.18.06.2021
Mob. +91 99525 42244

For GEETHAANJALI ALL INDIA SENIOR SECONDARY SCHOOL, THINDAL, ERODE.

Signature of the Owner of the Building

MANAGING TRUSTEE

DECLARATION

I, Er.V.Soundara Rajan M.E.,(Struc).,(Ph.D),C.Eng.Panel Engineer Class-1A Erode District ,R.Dis.18955/2020 C2 dt.18.05.2021.

Station: Gobichettipalayam

Date : 04.01.2022

Signature of the Structural Engineer

Er.V.SOUNDARA RAJAN, M.E (Struc.), (Ph.D.), C.Eng.
Panel Engineer Class-1A Erode District.
R.Dis.18955/2020 C2 dt.18.05.2021
Mob. +91 99525 42244

STATEMENT OF ACCOMPANYING FORM - A

1.	Name	: THE CHAIRMAN, M/s Geethaanjali All India Senior Secondary School, Thindal,Erode-12.
	Survey number of the site	: R.S.F.NO: 64/2A,106/30- BLOCK-I
2.	Location (Street Number, Ward Number) Name of Village	: Thindal,Corporation Ward No:33
	Panchayat Union/Panchayat/Township/ Cantonment	: Erode city Municipal Corporation Zone-III.,Erode Taluk, Erode District
3.	Year of Construction	: 2004
4.	Approximate cost of construction	: Rs.1,40,000,00/-
5.	Purpose for which the building is being Used or purpose to be used	: RCC Terraced & School Building
6.	Purpose for Which the Building has Either To been used	: RCC Terraced & School Building
7.	Details for construction of the building (Particulars of the foundation soils, Specification of the various parts under)	
	(i). Foundation	: RCC Column Footing
	(ii). Basement	: R.R.M. in Cement Mortar & Plinth Beam
	(iii). Super Structure	: RCC Column Footing With Load Bearing Walls
	(iv). Floor and Roof	: RCC Flat Roof, Cement Mortar

8. Period for which licence is required : 3 Years

(04.01.2022 To 03.01.2025)

9. Carpet area of the building : 4338.64 Sq.mt

10. Number of persons To be accommodated : 2400 Nos

Date: 04.01.2022

For GEETHAANJALI ALL INDIA SENIOR SECONDARY SCHOOL, THINDAL, ERODE.

MANAGING TRUSTEE

Signature of the Owner of the Building

Signature of the Structural Engineer

Dr.V.SOUNDARA RAJAN, M.E (Struc.), Ph.D., C.Eng.
Panel Engineer Class-1A Erode District.
R.Dis.19055/2020 C2 dt.18.05.2021
Mob. +91 99525 42244

STRUCTURAL SPECIFICATION

A. Framed structures with reinforcement cement concrete columns, beams & slabs.

(i) Maximum span of the beam 6.71 meters.

(ii) Maximum unsupported length of columns – nil.

(iii) Maximum size of the column 400mm x 230mm.

(iv) Maximum size of the beam 400mm x 230mm.

B. Design load on the structure.

(i) Live load at floor level – 3.0KN/Sq.m.

(ii) Live load at Roof level – 1.5 KN/Sq.m.

(iii) Live load for stair, corridor and balcony's – 4.0 KN/Sq.m.

C. Dead load assumed other then the self weight.

(i) For floor finishes – 1 KN/Sq.m.

(ii) For partitions – 1.5 KN/Sq.m.

(iii) For terrace finishes – 2 KN/Sq.m.

D. Other service loads as per actual.

(i) Over Head Tank.

FORM - B

(Form of certificate of structural soundness under sub – section (4) of section 4 of the Tamil Nadu public buildings (Licensing) Act, 1965 (Tamil Nadu Act 13 of 1965) referred to in rule 4 of the Tamil Nadu public buildings (Licensing) Rules, 1966).

I certify that I have inspected the building mentioned in the statement and furnished below its salient technical features.

1. **Foundation**

(i)	Depth below ground level	: 1.87 m
(ii)	Nature of soil met with foundation level	: Hard Gravel
(iii)	Pressures are foundation	: 29.06 T / Sq.m.
(iv)	Probable safe bearing capacity of the Strata met with at foundation	: 45T / Sq.m.

2. **Super structure**

(i)	Maximum stress in the most critical section	
	Masonry & concrete	: Brick in cm. 32.08 T/Sq.m Concrete - 250 Kgs / Sqm
(ii)	Nature of masonry any concrete and its Safe permissible stress	: Brick in cm.15 T/Sq.m Concrete - 250 Kgs / Sqm

The structural soundness of the building has been verified by me with the reference to ISI loading standards 875 (Latest version) and other relevant Indian standards code of practice and I declare that the building for the purpose noted in the statement. A license may be granted for the period of **3 Years** from **04.01.2022 To 03.01.2025**.

Date: 04.01.2022

Signature of the Structural Engineer

Dr.V.BOOMIDARA RAJAN, M.E (Struct.), (Ph.D.), C.Eng.
Panel Engineer Class- 1A Erode District.
R.Dis.18855/2020 C2 dt.18.05.2021
Mob. +91 98525 42244

FORM - C

(Form of certificate of structural soundness under sub – section (4) of section 4 of the Tamil Nadu public buildings (Licensing) Act, 1965 (Tamil Nadu Act XIII of 1965) referred to in rule 4 of the Tamil Nadu public buildings (Licensing) Rules, 1966).

I certify that I have inspected the building mentioned in the statement and furnished below its salient technical features.

3. Foundation

(v) Depth below ground level : 1.87 m

(vi) Nature of soil met with foundation level : Hard Gravel

(vii) Pressures are foundation : 29.06 T / Sq.m.

(viii) Probable safe bearing capacity of the Strata met with at foundation : 45T / Sq.m.

4. Super structure

(iii) Maximum stress in the most critical section

Masonry & concrete : Brick in cm. 32.08 T/Sq.m

(iv) Nature of masonry any concrete and its Safe permissible stress : Brick in cm.15 T/Sq.m

RR Masonry-45.0 T/Sqm

The structural soundness of the building has been verified by me with the reference to ISI loading standards 875 (Latest version) and other relevant Indian standards code of practice and I declare that the building for the purpose noted in the statement. A license may be granted for the period of **3 Years** from **04.01.2022 To 03.01.2025**.

Date: 04.01.2022

Signature of the Structural Engineer

Ex.V.BOOMIDARA RAJAN, M.E (Struc.), (Ph.D), C.Eng.
Panel Engineer Class-1A Erode District.
R.Dis.18865/2020 C2 dt.18.05.2021
Mob. +91 99525 42244

STATEMENT TO ACCOMPANY THE CERTIFICATE OF STRUCTURAL SOUNDNESS

1.	Location of the building	: RSF.NO: 64/2A,106/30- BLOCK-I
2.	Name of the place	: Thindal, Corporation Ward.No:33 Erode City Municipal Corporation Zone – III, Erode Taluk & District.
3.	Age of the Building	: 18 Years
4.	Numbers of storey	: G+2 (BLOCK-I)
5.	Type of short description of structures – street R.C.C. Framed or load bearing masonry	: RCC Framed Structure and Load Bearing Walls
6.	Purpose for which the building is certify for use	: RCC Terraced & School Building
7.	The period for which the building will be Structurally sound	: 04.01.2022 to 03.01.2025
8.	Number of persons to be accommodated	: 2400 Nos.
9.	Remarks	: Good

Dated :04.01.2022

Signature of the Structural Engineer

Er.V.SOUNDARA RAJAN, ME (Struc.), (Ph.D), C.Eng.
Panel Engineer Class-1A Erode District.
R.Dis.18055/2020 C2 dt.18.05.2021
Mob. +91 98525 42244

For GEETHAANJALI ALL INDIA SENIOR SECONDARY SCHOOL, THINDAL, ERODE.

Signature of the Owner of the Building

MANAGING TRUSTEE

DECLARATION

I, Er.V.Soundara Rajan M.E.,(Struc).,(Ph.D),C.Eng.Panel Engineer Class-1A Erode District ,R.Dis.18955/2020 C2 dt.18.05.2021.

Station: Gobichettipalayam

Date : 04.01.2022

Signature of the Structural Engineer

Er.V.SOUNDARA RAJAN, M.E.(Struc.), (Ph.D.), C.Eng.
Panel Engineer Class-1A Erode District.
R.Dis.18955/2020 C2 dt.18.05.2021
Mob. +91 99525 42244

K.Dis.1187/2022/A4

Taluk Office,Erode
Dated: .03.2022

FORM-D

(From of licence under sub-section(1)of section 6 of the Madras Public Buildings(Licensing)Act,1965 (Madras Act,1965) referred to in Rule 6 of the Madras Public Buildings (Licensing) Rules 1965).

RENEWAL OF LICENCE

LICENCE NO.02/2007

Licence Fee Rs.5000/-
(Rupees Five Thousand only)
Remitted in Chalan
No.20220223004268
Dated:23.02.2022at SBI,Erode.

Licence is hereby granted to the CORRESPONDENT, GEETHAANJALI ALL INDIA SENIOR SECONDARY SCHOOL(AFFILIATED TO CBSE,DELHI),THINDAL VILLAGE, ERODE, Erode Taluk, Erode District in the purpose and in respect of the building specified in the statement below and subject to the conditions and for the period mentioned here under:-

1) The period of Validity of the Licence shall be From 04.01.2022 To 03.01.2025(both days inclusive).

TAHSILDAR
ERODE.

3/3/22

STATEMENT OF ACCOMPANY THE LICENCE

Location of the Building (Door No.Street No.and the Name of the place)	Purpose for which the building is licenced to be used as a public building	Number of personsto be accommodated
GEETHAANJALI ALL INDIA SENIOR SECONDARY SCHOOL, (AFFILIATED TO CBSE, DELHI) T.S.NO.106/30 Block-I THINDAL,THINDAL VILLAGE, ERODE, Erode Taluk Erode District.	SCHOOL BUILDINGS CLASS ROOMS,LAB, AND TOILETS GROUND FLOOR FIRST FLOOR SECOND FLOOR	2400 Nos.

TAHSILDAR
ERODE.

TO:
THE CORRESPONDENT,
GEETHAANJALI ALL INDIA SENIOR SECONDARY SCHOOL,
(AFFILIATED TO CBSE, DELHI)
THINDAL VILLAGE, ERODE TALUK,
ERODE DISTRICT.

ஈரோடு வருவாய் வட்டாட்சியர் அவர்களின் செயல்முறைகள்
முன்னிலை : : திரு.என்.பாலசுப்ரமணியம், எம்.ஏ.,

மூ.மு.எண்.1187/2022/அ4 நாள்: 3 .03.2022

பொருள்: பொதுக்கட்டிட உரிம விதிகள் - ஈரோடு வட்டம், ஈரோடு டவுன், திண்டல் கிராமம், திண்டல் என்ற முகவரியில் இயங்கி வரும் கீதாஞ்சலி ஆல் இண்டியா சீனியர் செகண்டரிப்பள்ளி, தாளாளர் பொதுக் கட்டிட உரிம எண்.37/2009னை புதுப்பித்து உரிமம் வழங்கி உத்திரவிடல் - தொடர்பாக

பார்வை: தாளாளர், கீதாஞ்சலி ஆல் இண்டியா சீனியர் செகண்டரிப்பள்ளி, திண்டல் கிராமம், ஈரோடு டவுன், ஈரோடு மனு நாள்: 25.02.2022
2., நிலைய அலுவலர், தீயணைப்பு மீட்புப்பணி நிலையம், ஈரோடு அவர்களின் எண்.19/2022 நாள்: 25.02.2022

ஆணை :

ஈரோடு வட்டம், திண்டல் கிராமம், திண்டல் என்ற முகவரியில் இயங்கி வரும் கீதாஞ்சலி ஆல் இண்டியா சீனியர் செகண்டரிப்பள்ளி, தாளாளர் பொது கட்டிட உரிமம் புதுபிக்க கோரிய மனு பரிசீலணை செய்யப்பட்டு பொதுக்கட்டிட உரிமம் எண்.02/2007னை 04.01.2022 முதல் 03.01.2025 வரையிலான காலத்திற்கு செல்லத்தக்க வகையில் உரிமம் புதுப்பித்து வழங்கி இதன்மூலம் உத்திரவிடப்படுகிறது.

2. பொதுக்கட்டிட உரிமம் காலாவதியாவதற்கு 90 நாட்களுக்கு முன்னரே அங்கீகரிக்கப்பட்ட பொறியாளரிடம் கட்டிட உறுதிச்சான்று மற்றும் வரைப்படம் பெற்று இணைத்து உரிமம் புதுப்பிக்க ஈரோடு வருவாய் வட்டாட்சியர் அவர்களுக்கு விண்ணப்பம் செய்து கொள்ள வேண்டியது.

3. உரிமம் வழங்கப்பட்ட பின்னர் கட்டிடங்களில் ஏற்படும் மாற்றங்கள் குறித்து முன்னரே உரிய அனுமதி பெற வேண்டுமெனவும், தமிழ்நாடு பொதுக்கட்டிட உரிம விதிகளின்படி கட்டிடங்களை பராமரிக்க வேண்டுமெனவும் தெரிவிக்கப்படுகிறது.

4. உரிமம் மற்றும் வரைபடம் அசலாக இத்துடன் இணைத்து அனுப்பப்படுகிறது.

இணைப்பு : அசல் உரிமம் மற்றும் வரைபடம்.

வருவாய் வட்டாட்சியர்,
ஈரோடு.

பெறுநர் :

தாளாளர்,
கீதாஞ்சலி ஆல் இண்டியா சீனியர் செகண்டரிப்பள்ளி,
T.S.NO.64/2A BLOCK -II
திண்டல் கிராமம்,
திண்டல்,
ஈரோடு.

3/3/22

K.Dis.1187/2022/A4

Taluk Office,Erode
Dated: 3.03.2022

FORM-D

(From of licence under sub-section(1)of section 6 of the Madras Public Buildings(Licensing)Act,1965 (Madras Act,1965) referred to in Rule 6 of the Madras Public Buildings (Licensing) Rules 1965).

RENEWAL OF LICENCE

LICENCE NO.37/2009

Licence Fee Rs.5000/-
(Rupees Five Thousand only)
Remitted in Chalan
No. 20220223004037
Dated:23.02.2022at SBI,Erode.

Licence is hereby granted to the CORRESPONDENT, GEETHAANJALI ALL INDIA SENIOR SECONDARY SCHOOL, (AFFILIATED TO CBSE,DELHI),THINDAL VILLAGE, ERODE, Erode Taluk, Erode District in the purpose and in respect of the building specified in the statement below and subject to the conditions and for the period mentioned here under:-

1) The period of Validity of the Licence shall be From 04.01.2022 To 03.01.2025(both days inclusive).

TAHSILDAR
ERODE.

STATEMENT OF ACCOMPANY THE LICENCE

Location of the Building (Door No.Street No.and the Name of the place)	Purpose for which the building is licenced to be used as a public building	Number of personsto be accommodated
GEETHAANJALI ALL INDIA SENIOR SECONDARY SCHOOL, (AFFILIATED TO CBSE, DELHI) T.S.NO.64/2A Block-II THINDAL,THINDAL VILLAGE, ERODE, Erode Taluk Erode District.	SCHOOL BUILDINGS CLASS ROOMS,LAB, AND TOILETS GROUND FLOOR FIRST FLOOR SECOND FLOOR THIRD FLOOR	2400 Nos.

TAHSILDAR
ERODE.

TO:
THE CORRESPONDENT,
GEETHAANJALI ALL INDIA SENIOR
SECONDARY SCHOOL, T.S.NO.64/2A Block-II
(AFFILIATED TO CBSE, DELHI)
THINDAL VILLAGE, ERODE TALUK,
ERODE DISTRICT.